

Kotlin Basics

Kotlin Class Extensions

- Extends the functionality of an existing class

```
fun Int.addFive() : Int {  
    return this + 5  
}
```

- Does not actually change the code of the class
- Provides a function that can be called on instances of the class

When are Class Extensions Useful in Ktor?

- To separate business specific routes and logic from the rest of the routes

Coroutine Contexts

- DEFAULT: Number of threads = number of CPU cores - use this for calculations or if you are uncertain about which context to use
- IO: Number of threads = 64 or number of cores (whichever is larger) - use this for rest communication or storing data to a file or database
- MAIN: Number of threads = 1 - is mainly used in android apps to interact with user interface

Sample Code:

```
import kotlinx.coroutines.*  
import kotlin.random.Random  
  
fun main(args: Array<String>) = runBlocking {  
    // 64 Threads in IO
```

```
withContext(Dispatchers.IO) {  
    repeat (100_000) { // 100_000 = 100,000  
        launch {  
            firstcoroutine(it) // 'it' will be the current iteration  
        }  
    }  
    println("End of withContext")  
}  
println("End of main function")  
}  
  
suspend fun firstcoroutine(id: Int) {  
    delay(Random.nextLong()%2000) // The delay is a random number less than 2 seconds  
    println("first $id")  
}
```

Running this code gives an output something like:

```
first 0  
first 1  
first 2  
first 5  
first 6  
first 7  
first 8  
first 10  
first 9  
first 11  
first 13  
...
```

Notice how the sequence falls out of order? This is threading and Kotlin coroutines in action.

Revision #1

Created 17 April 2022 00:20:30 by Elkip

Updated 17 April 2022 01:02:09 by Elkip